L Number	Hits	Search Text	DB	Time stamp
-	83605	bus adj3 (interfac\$3 or controll?r\$1 or adapt?r\$1 or	USPAT;	2003/09/23
		control\$1 or controlling)	US-PGPUB;	08:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	200	"if"	USPAT;	2003/09/23
			US-PGPUB;	08:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	89543	(bus adj3 (interfac\$3 or controll?r\$1 or adapt?r\$1 or	USPAT;	2003/09/23
		control\$1 or controlling)) or biu\$1 or bic\$1	US-PGPUB;	08:58
		3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	212	((bus adj3 (interfac\$3 or controll?r\$1 or adapt?r\$1	USPAT;	2003/09/23
		or control\$1 or controlling)) or biu\$1 or bic\$1) with	US-PGPUB;	08:58
		(point adj2 point)	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	5	(((bus adj3 (interfac\$3 or controll?r\$1 or adapt?r\$1	USPAT;	2003/09/23
	J	or control\$1 or controlling)) or biu\$1 or bic\$1) with	US-PGPUB;	09:03
		(point adj2 point)) with (unidirection\$5 or uni adj2	EPO; JPO;	03.00
		direction\$5)	DERWENT;	
		direction(\$3)	IBM_TDB	
_	5	((((bus adj3 (interfac\$3 or controll?r\$1 or adapt?r\$1	USPAT;	2003/09/23
	3	or control\$1 or controlling)) or biu\$1 or bic\$1) with	US-PGPUB;	09:05
		(point adj2 point)) with (unidirection\$5 or uni adj2	EPO; JPO;	03.03
		direction\$5)) and (@ad<20010430 or	DERWENT;	
		@prad<20010430 or @rlad<20010430 or	IBM_TDB	
		@pd<20010430 or @pt1d<20010430)	1011-100	
_	427	(unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
	427	adj2 point)	US-PGPUB:	09:54
		adje pomi)	EPO; JPO;	05.54
			DERWENT;	
			IBM_TDB	
_	141	((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
-	171	adj2 point)) and (onchip\$5 or chip\$5)	US-PGPUB;	09:05
		daje point)) and (oriemphs or emphs)	EPO; JPO;	03.03
			DERWENT;	
	1.44	//widingstands and add discontinues () to	IBM_TDB	2002/00/22
-	141	((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (onchip\$5 or chip\$5 or intrachip\$5)	US-PGPUB;	09:09
			EPO; JPO;	
			DERWENT;	
	404	/// ·	IBM_TDB	0000/00/00
-	131	(((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (onchip\$5 or chip\$5 or intrachip\$5))	US-PGPUB;	12:57
		and (@ad<20010430 or @prad<20010430 or	EPO; JPO;	
		@rlad<20010430 or @pd<20010430 or	DERWENT;	
		@pt1d<20010430)	IBM_TDB	I

-	141	((unidirection\$5 or uni adj2 direction\$5) with (point adj2 point)) and (onchip\$5 or chip\$5 or intrachip\$5)	USPAT; US-PGPUB;	2003/09/23 09:09
]		EPO; JPO;	
			DERWENT;	ļ
			IBW_TDB	
-	131	(((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (onchip\$5 or chip\$5 or intrachip\$5))	US-PGPUB;	10:01
		and (@ad<20010430 or @prad<20010430 or	EPO; JPO;	
		@rlad<20010430 or @pd<20010430 or	DERWENT;	
		@pt1d<20010430)	IBM_TDB	2000/00/00
-	213	((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or	US-PGPUB; EPO; JPO;	12:57
		priorit\$7)	DERWENT;	
			IBM_TDB	
1_	12	(US-5859550-\$ or US-5909594-\$ or US-5991824-\$	USPAT;	2003/09/23
	"-	or US-6415424-\$ or US-6282195-\$ or	US-PGPUB;	09:54
		US-6353867-\$ or US-6145039-\$ or	DERWENT	
		US-6584101-\$).did. or (US-20020118041-\$ or		
		US-20020120878-\$ or US-20020126693-\$).did. or		
		(US-6256693-\$).did.		
-	108	(((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or	US-PGPUB;	10:01
		priorit\$7)) not ((((unidirection\$5 or uni adj2	EPO; JPO;	
		direction\$5) with (point adj2 point)) and (onchip\$5 or	DERWENT;	
		chip\$5 or intrachip\$5)) and (@ad<20010430 or	IBW_TDB	
		@prad<20010430 or @rlad<20010430 or	<u> </u>	
	0.1	@pd<20010430 or @pt1d<20010430))		2002 (00 (02
-	91	((((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23 12:55
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or priorit\$7)) not ((((unidirection\$5 or uni adj2	US-PGPUB; EPO; JPO;	12:55
		direction\$5) with (point adj2 point)) and (onchip\$5 or	DERWENT;	
		chip\$5 or intrachip\$5)) and (@ad<20010430 or	IBM_TDB	
		@prad<20010430 or @rlad<20010430 or	25.11_105	
		@pd<20010430 or @pt1d<20010430))) and		
		(@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430)		
-	79	((((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or	US-PGPUB;	12:55
		priorit\$7)) not ((((unidirection\$5 or uni adj2	EPO; JPO;	
		direction\$5) with (point adj2 point)) and (onchip\$5 or	DERWENT;	
		chip\$5 or intrachip\$5)) and (@ad<20010430 or	IBW_LDB	
		@prad<20010430 or @rlad<20010430 or @pd<20010430 or @pt1d<20010430))) and packet\$7		
_	65	(((((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or	US-PGPUB;	12:56
]	priorit\$7)) not ((((unidirection\$5 or uni adj2	EPO; JPO;	
		direction\$5) with (point adj2 point)) and (onchip\$5 or	DERWENT;	
		chip\$5 or intrachip\$5)) and (@ad<20010430 or	IBM_TDB	
		@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430))) and packet\$7)		
		and (@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
	1	@pt1d<20010430)		<u></u>

		///// : / /:	LICRAT	2002 (00 /22
-	0	((((((unidirection\$5 or uni adj2 direction\$5) with	USPAT;	2003/09/23
		(point adj2 point)) and (arbiter\$1 or arbitrat\$5 or	US-PGPUB;	12:56
		priorit\$7)) not ((((unidirection\$5 or uni adj2	EPO; JPO;	
		direction\$5) with (point adj2 point)) and (onchip\$5 or	DERWENT;	
		chip\$5 or intrachip\$5)) and (@ad<20010430 or	IBW_LDB	
1		@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430))) and packet\$7)		
		and (@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430)) not (((((unidirection\$5 or uni adj2		
		direction\$5) with (point adj2 point)) and (onchip\$5 or		
		chip\$5 or intrachip\$5)) and (@ad<20010430 or		
		@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430)) or		
		(((((unidirection\$5 or uni adj2 direction\$5) with (point		
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or		
		priorit\$7)) not ((((unidirection\$5 or uni adj2		
		direction\$5) with (point adj2 point)) and (onchip\$5 or		
		chip\$5 or intrachip\$5)) and (@ad<20010430 or		
		@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430))) and		
		(@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430)))		
_	232	((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
	232	adj2 point)) and packet\$7	US-PGPUB;	12:57
		daje pomi)) and packers?		12.57
			EPO; JPO;	
			DERWENT;	
	212	///withthe satisfied AE is suit and Online satisfied AEV what /with a	IBM_TDB	2002/00/24
-	213	(((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/24
		adj2 point)) and packet\$7) and (@ad<20010430 or	US-PGPUB;	07:47
		@prad<20010430 or @rlad<20010430 or	EPO; JPO;	
		@pd<20010430 or @pt1d<20010430)	DERWENT;	
			IBM_TDB	2002 (00 (0.4
-	51	((((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/24
		adj2 point)) and packet\$7) and (@ad<20010430 or	US-PGPUB;	07:46
		@prad<20010430 or @rlad<20010430 or	EPO; JPO;	
		@pd<20010430 or @pt1d<20010430)) not	DERWENT;	
		(((((unidirection\$5 or uni adj2 direction\$5) with (point	IBW_TDB	
]		adj2 point)) and (onchip\$5 or chip\$5 or intrachip\$5))		
	,	and (@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430)) or (((((unidirection\$5 or uni adj2		
		direction\$5) with (point adj2 point)) and (arbiter\$1 or		
		arbitrat\$5 or priorit\$7)) not ((((unidirection\$5 or uni		
		adj2 direction\$5) with (point adj2 point)) and		
		(onchip\$5 or chip\$5 or intrachip\$5)) and		
		(@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430))) and (@ad<20010430 or		
		@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430)))		İ

	427	(midinastinut5 on mindi2 dinastinut5) mith (naint	USPAT;	2003/09/24
-	42/	(unidirection\$5 or uni adj2 direction\$5) with (point		
		adj2 point)	US-PGPUB;	07:46
			EPO; JPO;	
			DERWENT;	
		//	IBM_TDB	2002/00/04
_	56	((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/24
		adj2 point)) same (request\$2 or req\$2)	US-PGPUB;	07:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	53	(((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/24
		adj2 point)) same (request\$2 or req\$2)) and	US-PGPUB;	08:54
		(@ad<20010430 or @prad<20010430 or	EPO; JPO;	
		@rlad<20010430 or @pd<20010430 or	DERWENT;	
		@pt1d<20010430)	IBM_TDB	
-	65	fixed same (roundrobin or round adj robin or rotating	USPAT;	2003/09/24
		or revolving) same (timeslic\$3 or timeslot\$5 or slic\$3	US-PGPUB;	08:53
		or slot\$5) same (priorit\$7 or arbiter\$1 or	EPO; JPO;	
		arbitrat\$3)	DERWENT;	
			IBW_TDB	
-	62	(fixed same (roundrobin or round adj robin or rotating	USPAT;	2003/09/24
		or revolving) same (timeslic\$3 or timeslot\$5 or slic\$3	US-PGPUB;	09:34
		or slot\$5) same (priorit\$7 or arbiter\$1 or	EPO; JPO;	
		arbitrat\$3)) and (@ad<20010430 or @prad<20010430	DERWENT;	
		or @rlad<20010430 or @pd<20010430 or	IBW_TDB	
		@p+1d<20010430)		
-	11155	(equal or "same") near6 priorit\$7	USPAT;	2003/09/24
			US-PGPUB;	09:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	382	((equal or "same") near6 priorit\$7) with (rotating or	USPAT;	2003/09/24
		roundrobin or round adj robin or revolving)	US-PGPUB;	09:34
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	73	(((equal or "same") near6 priorit\$7) with (rotating or	USPAT;	2003/09/24
		roundrobin or round adj robin or revolving)) same	US-PGPUB;	09:34
		(fixed or static\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	69	((((equal or "same") near6 priorit\$7) with (rotating or	USPAT;	2003/09/24
		roundrobin or round adj robin or revolving)) same	US-PGPUB;	14:23
		(fixed or static\$4)) and (@ad<20010430 or	EPO; JPO;	
		@prad<20010430 or @rlad<20010430 or	DERWENT;	
		@pd<20010430 or @pt1d<20010430)	IBW_TDB	
_	24	(((((equal or "same") near6 priorit\$7) with (rotating or	USPAT;	2003/09/24
		roundrobin or round adj robin or revolving)) same	US-PGPUB;	14:21
		(fixed or static\$4)) and (@ad<20010430 or	EPO; JPO;	
	`	@prad<20010430 or @rlad<20010430 or	DERWENT;	
	.	@pd<20010430 or @pt1d<20010430)) and (370.clas.	IBM_TDB	
		or 710.clas.)		

4	
-	
•	

	3693	(timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
	3093	(arbiter\$1 or arbitrat\$3 or priorit\$7)	US-PGPUB;	14:23
:		(arbiter \$1.01 arbitrar\$5.01 priorit\$7)	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	526	((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
] 320	(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 710.clas.	US-PGPUB;	14:41
		(arbiter \$1 bit arbitrar \$3 bit prior (1\$7)) and 7 to.clas.	EPO; JPO;	14.47
			DERWENT;	
	353	///ation of a ARE or all ARE or ation of the 2 or all AR2 or all	IBM_TDB	2002/00/24
-	352	(((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 710.clas.)	US-PGPUB;	14:42
		and (timer\$1 or counter\$1)	EPO; JPO;	
			DERWENT;	
			IBW_LDB	
-	342	((((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 710.clas.)	US-PGPUB;	14:42
		and (timer\$1 or counter\$1)) and (@ad<20010430 or	EPO; JPO;	
		@prad<20010430 or @rlad<20010430 or	DERWENT;	
		@pd<20010430 or @pt1d<20010430)	IBW_TDB	
-	459801	(timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3).ab.	USPAT;	2003/09/24
			US-PGPUB;	14:42
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	68	(((((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 710,clas.)	US-PGPUB;	14:24
		and (timer\$1 or counter\$1)) and (@ad<20010430 or	EPO; JPO;	
		@prad<20010430 or @rlad<20010430 or	DERWENT;	
		@pd<20010430 or @pt1d<20010430)) and	IBM_TDB	
		((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3).ab.)		
_	1326	((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 370.clas.	US-PGPUB;	14:41
		(, , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	771	(((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 370.clas.)	US-PGPUB;	14:42
		and (timer\$1 or counter\$1)	EPO; JPO;	• • • •
		and (mile) we or could by 41)	DERWENT;	
			IBM_TDB	
_	299	((((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
-	299	((((timesioty)) or sloty) or timeslicy3 or slicy3) with (arbiter\$1 or arbitrat\$3 or priorit\$7)) and 370.clas.)	US-PGPUB;	14:42
		and (timer\$1 or counter\$1)) and ((timeslot\$5 or		17.76
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	EPO; JPO;	
		slot\$5 or timeslic\$3 or slic\$3).ab.)	DERWENT;	
	201	////himaglat@5 an glat@5 an simualis@3 an alis@33 and	IBM_TDB	2002 (00 (24
-	286	(((((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 370.clas.)	US-PGPUB;	14:42
		and (timer\$1 or counter\$1)) and ((timeslot\$5 or	EPO; JPO;	
		slot\$5 or timeslic\$3 or slic\$3).ab.)) and	DERWENT;	
	1	(@ad<20010430 or @prad<20010430 or	IBW_TDB	
		@rlad<20010430 or @pd<20010430 or		
	<u></u>	@p+1d<20010430)	l.,.	